

DIAMOND GRINDING TOOLSFOR MACHINING TECHNICAL CERAMIC COMPONENTS




DIAMOND GRINDING TOOL


for machining technical ceramic components

TYROLIT offers a comprehensive range of products for machining ceramic components. These include various application-specific bond systems with optimised performance in conjunction with new diamond qualities.

Application: Double side face grinding of ceramic components



- Reduced wheel wear: The new diamond qualities and optimised bonds reduce grinding wheel wear, dramatically increasing the lifetime of the product.
- + High stock removal rate: The specifications enable a high stock removal rate when using smaller grit sizes, meaning that the desired surface finishes can be achieved.



+ Low grinding forces: The extremely easy cutting specification reduces the grinding forces on the work piece, while simultaneously ensuring low grinding wheel wear.

Product range

TYROLIT offers a range of products for all standard grinding applications such as:

- + External cylindrical grinding *
- + Double side face grinding
- + Surface grinding *
- + Cutting
- + Internal cylindrical grinding
- + Drilling

Individually tailored grinding tools

TYROLIT application engineers define the specifications for every usage case, taking into account specific customer requirements.

High damping effect: *

The use of special core materials guarantees even better surfaces.

Other advantages:

- + Low weigh
- + Increased lifetimes
- Higher peripheral speeds up to max. 160 m/s

